















































Model	Picture	Description			Unite		REMARK	MOQ
		material	size	Weight/ca pacity				
EXAL-2817-A		6063- T5 ( OD28MM, T =1.7MM)	4M/PCS	0.427kg/M	M		Surface treatment white sands	500
EXAL-2817-B		6063- T5 ( OD28MM, T =1.7MM)	4M/PCS	0.427kg/M	M		Surface treatment silver	500
EXAL-2812-A		6063- T5 ( OD28MM, T =1.2MM)	4M/PCS	0.327kg/M	M		Surface treatment white sands	500
EXAL-2812-B		6063- T5 ( OD28MM, T =1.2MM)	4M/PCS	0.327kg/M	M		Surface treatment silver	500
EXAL-4323		6063- T5 ( OD43MM, T =2.3MM)	4M/PCS	0.732kg/M	M			200
EXAL-B		6063- T5 (ALUMINUM PIPE )	4M/PCS	0.79kg/M	M			200
EXAL-C		6063- T5 (ALUMINUM PIPE )	4M/PCS	0.66kg/M	M			200
EXAL-F		6063- T5 (ALUMINUM PIPE )	4M/PCS	0.682kg/M	M			200
EX AL-H		6063-T5	4M/PCS	0.75kg/M	M			200

<b>EXAL-K</b>		6063-T5 (ALUMINUM PIPE )	4M/PCS	0.58kg/M	M		Double flange	200
<b>EXAL-L</b>		6063-T5 (ALUMINUM PIPE )	4M/PCS	0.5kg/M	M		single flange	200
<b>EMP-2000-A</b>		Glass holder	2M/PCS	0.17kg/M	M		galss holder	200
<b>EMP-2000-B</b>		HDPE	2M/PCS	0.05kg/M	M		draw slip	200
<b>EMAL-1-A</b>		Aluminum+ADC-12		0.045kg/set	SET		for 1.7mm aluminum pipe	200
<b>EMAL-1-B</b>		Aluminum+ADC-12		0.048kg/set	SET		for 1.2mm aluminum pipe	200
<b>EMAL-2</b>		Aluminum+ADC-12		0.097kg/set	SET		90° outer connecting	200
<b>EMAL-3</b>		Aluminum+ADC-12		0.06kg/set	SET		45° outer connecting	200
<b>EMAL-4</b>		Aluminum+ADC-12		0.11kg/set	SET			200
<b>EMAL-5</b>		Aluminum+ADC-12		0.122kg/set	SET		360° outer connecting	200

<b>EMAL-6</b>		Aluminum+ADC-12		0.05kg/set	SET			200
<b>EMAL-7</b>		Aluminum+ADC-12		0.056kg/set	SET		outer connector for 28mm pipe	200
<b>EMAL-8</b>		Aluminum+ADC-12		0.036kg/set	SET			200
<b>EMAL-9</b>		Aluminum+ADC-12		0.127kg/set	SET			200
<b>EMAL-10</b>		Aluminum+ADC-12		0.11kg/set	SET		360° inner connecting for 1.7mm and 1.2mm	200
<b>EMAL-11</b>		Aluminum+ADC-12		0.055kg/set	SET			200
<b>EMAL-12</b>		Aluminum+ADC-12		0.15kg/set	SET		90° inner connecting for 1.2mm and 1.7mm	200
<b>EMAL-13</b>		Aluminum+ADC-12		0.055kg/set	SET		45° inner connecting	200
<b>EMAL-14</b>		Aluminum+ADC-12		0.113kg/set	SET			200
<b>EMAL-15</b>		Aluminum+ADC-12		0.022kg/set	SET			200

<b>EMAL-16</b>		Aluminum+ADC-12		0.05kg/set	SET		200
<b>EMAL-17</b>		Aluminum+ADC-12		0.06kg/set	SET		200
<b>EMAL-18-A</b>		Aluminum+ADC-12		0.045kg/set	SET		200
<b>EMAL-18-B</b>		Aluminum+ADC-12		0.045kg/set	SET		200
<b>EMAL-19</b>		Aluminum+ADC-12		0.021kg/set	SET	Using with AL-18-B	200
<b>EMAL43-1</b>		Aluminum+ADC-12		0.25kg/set	SET	for OD43mm aluminum pipe	200
<b>EMAL43-2</b>		Aluminum+ADC-12		0.33kg/set	SET	90° outer connecting for OD43MM pipe	200
<b>EMAL-20</b>		Aluminum+ADC-12		0.01kg/set	SET	For H aluminum profile	200
<b>EMAL-21</b>		Aluminum+ADC-12		0.062kg/set	SET		200

<b>EMAL-22</b>		Q235+galvanized		0.18kg/set	SET		For AL-4323 aluminum pipe	200
<b>EMAL-23</b>		Aluminum+ADC-12		0.04kg/set	SET			200
<b>EMAL-24</b>		Zinc-alloy		0.045kg/set	SET			200
<b>EMAL-25</b>		Rubber		0.03kg/PCS	PCS			200
<b>EMAL-26</b>		LDPE		7g/PCS	PCS		for OD 28mm pipe	200
<b>EMAL-27</b>		LDPE		18g/PCS	PCS		for OD43mm aluminum pipe	200
<b>EMAL-2044C</b>		Q235+galvanized	40mm		PCS		for aluminum frame	50
			40mm		PCS			50
			60mm		PCS		for galvanized frame	50

			85mm		PCS			50
<b>EMAL-2044D</b>		Q235+galvanized	40mm		PCS		for aluminum frame	50
			40mm		PCS		for galvanized frame	50
			60mm		PCS			50
			85mm		PCS			50
<b>EMAL-2044DW</b>		Q235+galvanized	40mm		PCS		for aluminum frame	50
			40mm		PCS		for galvanized frame	50
			60mm		PCS			50
			85mm		PCS			50
			40mm		PCS		for aluminum frame	50



EXAL-60M		galvanized SECC frame Wheel: PE	4m/pcs	bearing 200kg/m	M		White/balck wheels	50
EXAL-85M		galvanized SECC frame Wheel: PE	4m/pcs	bearing 370kg/m	M		White/balck wheels	50
T EM NUT		Q235	M8		PCS			100
			M6					100
			M6					100
			M5					100
EM3" f lat with brake								50
EM3" f lat no brake								50
EX3" inflation with brake								50
EX3" inflation no brake								50